APPLIED HYDRAULICS 1953 EDITORIAL INDEX

A

Abstracts of Hydraulics Conference Papers (1953) Oct. p 136

Accumulator Selection. . ."The Rule of Three"
By Russell Hemeon June p 57

Air Actuated Intensifier Circuit Provides Explosion-Proof Test Stand
By Edward F. Paulus April p 57

Air Circuit for Machine Tool Lubrication
By C. S. Abbott Nov. p 122

Air-Hydraulic Boosters Put the Squeeze on Sugar Cane
By Earl A. Drollinger June p 68

Air Power Handles Biggest Mixer Aug. p 56

A Method of Synchronizing Hydraulic Cylinders
By W. E. Hallatt Dec. p 74

Application and Design of Compression Type Fittings
By R. W. Phillips Feb. p 42

Application of "Shear Type" Sleeve Fittings
By R. W. Phillips Mar. p 124

Automatic Bleeding of Air in Hydraulic Systems
By Milton Adler June p 62

Automatic Cycle Control System Mar. p 63

Automation of Furnaces with Electrohydraulic Circuits Sept. p 78

Aviation Section

Control of Hydraulic Shock in Aircraft Lines
By C. E. Adams May p 102

Development of "O" Rings for Aircraft Applications
By Frank Straus Aug. p 82

Development of Cluster Fittings Simplifies Aircraft Circuits
By Frank J. Hanback April p 90

Development of the Corsair Hydraulic System
By Dwight E. Leach Oct. p 106

50th Anniversary of Powered Flight July p 86

Fittings and Hose Problems Discussed at Transport Meeting Feb. p 63

4000 psi Hydraulic Circuit Designed for British Airliners
By John A. Lankester Nov. p 92

Fluid Power Circuits for Jet Fighter Planes Nov. p 104

Hydraulic Control Systems are Designed for Safety
By Chalmers A. Strayer and Wilfred F. Talbot Dec. p 99

Hydraulic Fuses . . . What Are They? How Do They Work?
By Harry Hedland June p 74

Hydraulics on the F-84 June p 80

Mechanical Lock and Signal Devices for Aircraft Hydraulic Cylinders
By Alfred B. Sammis and Michael Tareswich Sept. p 82

Nonflammable Fluids for Aircraft Hydraulic Systems
By John A. King Oct. p 114

One Valve Replaces Six Nov. p 108

Report of SAE Aircraft Committees June p 86

Role of Fluid Power in 50 Years of Aviation Dec. p 104

SAE National Aeronautical Meeting June p 83

Selection Factors for Airborne Compressors
Part I
By M. Caserta Feb. p 54

Selection Factors for Airborne Compressors
Part II
By M. Caserta Mar. p 92

Servo Valve Design for Autopilot Applications
By Martin P. Wolpin July p 74

Third Transport Aircraft Conference Nov. p 104

Using Hydraulic Pressure Relief Valves Correctly
By Gerhard Reethof May p 89

Basic Pneumatics Section

Section II

Continued on page 40

TO GIVE YOU SERVICE!

According to our customers, they continue buying Ledeen Cylinders because, "You people knock yourselves out to give us good service, and your cylinders perform better and last longer."

At Ledeen we perform no miracles, but we do give you quick delivery, good service, and, above all, a good sturdy, reliable cylinder.

Ledeen Cylinders are good cylinders.

Write for Bulletin 500.

VALVES • CYLINDERS
VALVE ACTUATORS
AIR-HYDRAULIC
PUMPS & BOOSTERS

Ledeen Mfg. Co.
1610 So. San Pedro St.
Los Angeles 15, Cal.

APPLIED HYDRAULICS 1953 EDITORIAL INDEX

A

Abstracts of Hydraulics Conference Papers (1953) Oct. p 136

Accumulator Selection. . ."The Rule of Three"
By Russell Hemeon June p 57

Air Actuated Intensifier Circuit Provides Explosion-Proof Test Stand
By Edward F. Paulus April p 57

Air Circuit for Machine Tool Lubrication
By C. S. Abbott Nov. p 122

Air-Hydraulic Boosters Put the Squeeze on Sugar Cane
By Earl A. Drollinger June p 68

Air Power Handles Biggest Mixer Aug. p 56

A Method of Synchronizing Hydraulic Cylinders
By W. E. Hallatt Dec. p 74

Application and Design of Compression Type Fittings
By R. W. Phillips Feb. p 42

Application of "Shear Type" Sleeve Fittings
By R. W. Phillips Mar. p 124

Automatic Bleeding of Air in Hydraulic Systems
By Milton Adler June p 62

Automatic Cycle Control System Mar. p 63

Automation of Furnaces with Electrohydraulic Circuits Sept. p 78

Aviation Section

Control of Hydraulic Shock in Aircraft Lines
By C. E. Adams May p 102

Development of "O" Rings for Aircraft Applications
By Frank Straus Aug. p 82

Development of Cluster Fittings Simplifies Aircraft Circuits
By Frank J. Hanback April p 90

Development of the Corsair Hydraulic System
By Dwight E. Leach Oct. p 106

50th Anniversary of Powered Flight July p 86

Fittings and Hose Problems Discussed at Transport Meeting Feb. p 63

4000 psi Hydraulic Circuit Designed for British Airliners
By John A. Lankester Nov. p 92

Fluid Power Circuits for Jet Fighter Planes Nov. p 104

Hydraulic Control Systems are Designed for Safety
By Chalmers A. Strayer and Wilfred F. Talbot Dec. p 99

Hydraulic Fuses . . . What Are They? How Do They Work?
By Harry Hedland June p 74

Hydraulics on the F-84 June p 80

Mechanical Lock and Signal Devices for Aircraft Hydraulic Cylinders
By Alfred B. Sammis and Michael Tareswich Sept. p 82

Nonflammable Fluids for Aircraft Hydraulic Systems
By John A. King Oct. p 114

One Valve Replaces Six Nov. p 108

Report of SAE Aircraft Committees June p 86

Role of Fluid Power in 50 Years of Aviation Dec. p 104

SAE National Aeronautical Meeting June p 83

Selection Factors for Airborne Compressors
Part I
By M. Caserta Feb. p 54

Selection Factors for Airborne Compressors
Part II
By M. Caserta Mar. p 92

Servo Valve Design for Autopilot Applications
By Martin P. Wolpin July p 74

Third Transport Aircraft Conference Nov. p 104

Using Hydraulic Pressure Relief Valves Correctly
By Gerhard Reethof May p 89

Basic Pneumatics Section

Section II

Continued on page 40

TO GIVE YOU SERVICE!

According to our customers, they continue buying Ledeen Cylinders because, "You people knock yourselves out to give us good service, and your cylinders perform better and last longer."

At Ledeen we perform no miracles, but we do give you quick delivery, good service, and, above all, a good sturdy, reliable cylinder.

Ledeen Cylinders are good cylinders.

Write for Bulletin 500.

VALVES • CYLINDERS
VALVE ACTUATORS
AIR-HYDRAULIC
PUMPS & BOOSTERS

Ledeen Mfg. Co.
1610 So. San Pedro St.
Los Angeles 15, Cal.

GREER TOPICS

Functions and Applications of the Greer Accumulator



To reduce line shock effectively only two Greer Accumulators were necessary to handle this series of loading racks for petroleum bulk station. Inset: closeup of installation.

How Greer Accumulators Suppress Line Shock



Above: a schematic of bulk station operation. Below: hydrauliscope gives conclusive evidence that line shock was reduced more than 100% when three valves were closed at once. Write for hydraulic line shock Bulletin 600.



Pressure surges from rapid opening and closing of valves effectively reduced

In loading tank cars or trucks from petroleum bulk stations as an example (see schematic diagram on left), the amount of fuel pumped into a tank must be carefully measured by flowmeters.

By just opening and closing the shut-off valve, line shocks develop with great intensity to cause repetitive flowmeter failures that result in erroneous readings. This can be costly to the operator selling this fuel at a given price.

By installing Greer accumulators that function as perfect shock absorbers, these dangerous pressure surges are made harmless (see hydrauliscope test on left). The elimination of costly flowmeter and pipeline maintenance more than paid for the accumulators within a year.

If your problem is hydraulic line shock, a Greer accumulator is the answer. Let our engineers help you. Call or write today. No obligation.

Greer accumulators have many uses as:

(1) Pressure storage chamber for main, auxiliary and emergency power (2) Pressure-volume compensator for leakage and temperature (3) Dispenser of fluids and lubricants (4) Transfer-barrier for fluids and gases (5) Shock absorber for line shock and pump pulsation.

Precision engineered to make any hydraulic system better! Complete data and diagrams in Brochure 301. Write for your free copy.

GREER ACCUMULATORS

U.S. PATENTS UNDER OLAER LICENSES

Greer Hydraulics Inc. 454 Eighteenth Street, Brooklyn 15, New York

Field Offices: 1908 West Cermak Road, Chicago, Illinois • 25 South Main Street, Dayton, Ohio 2832 East Grand Boulevard, Detroit, Michigan • and sales representatives in all principal cities

1953 Editorial Index

The Distribution System
Part 4 — Feb. p 48
Part 5 — Mar. p 84
Part 6 — April p 74
Part 7 — May p 113

Selection, Storage and Care of Air Hose
Part 8 — June p 92

Section III
Power and Working Elements
Air Cylinders
Part 1 — July p 68
Part 2 — Aug. p 66
Part 3 — Sept. p 72
Air Valves
Part 4 — Nov. p 86
Part 5 — Dec. p 78

C

Central Power Source Can Cut Maintenance Costs — June p 66

Control Circuits for Feed-Clamp-Work Cycle
By Ralph L. Hankin — Aug. p 47

Cylinder Actuated Device on Spot Welder Gives More Loading Clearance
By H. F. Wallen — Sept. p 64

Cylinders Move 250 lb Coils — Aug p 104

Data Sheets

Hydraulic Flow Control Circuits — July p 112

Simple Air Circuits Control Double Acting Cylinders — June p 114

Typical Accumulator Computation for Hydraulic Cylinder Operation — Feb. p 46

D

Design of a Hydraulically Operated Biaxial Fatigue Testing Machine
By C. E. Bowman — Dec. p 61

Design of Hydraulic Systems for Heavy Presses
Part 1 The Power Station
By Arthur Greensite — Oct. p 78

Design of Hydraulic Systems for Heavy Presses
Part 2 Valves
By Arthur Greensite — Nov. p 71

Design of Hydraulic Systems for Heavy Presses
Part 3 Control Circuits
By Arthur Greensite — Dec. p 68

Designed to Save Air — May p 78

Do You Need Inhibited Oils?
By R. Q. Sharpe — Oct. p 118

E

Electrically Controlled Air Circuits Improve Machine Operation
By R. E. Taggart — Oct. p 74

Electro-Hydraulic System for Multi-Slide Turning Machine
By Edward Smith — Mar. p 64

Electronic Instrumentation Techniques for Hydraulic Applications
By H. L. Kressin — April p 63

F

50th Anniversary of Oil Power Hydraulics — Dec. p 92

Flareless Fittings
By R. W. Phillips — April p 82

Flareless Fittings
By R. W. Phillips — May p 84

Flareless Fittings
By R. W. Phillips — June p 122

Continued on page 44

GOT THE SHAKES?

Solve your tube vibration problems with leakproof Parker *Ferulok* flareless fittings

This machine shakes from stem to stern. Because of the extreme vibration, maintenance of hydraulic lines was a big problem until the design was changed to specify Parker *Ferulok* flareless fittings. Since then the manufacturer has not had a single call for hydraulic line maintenance nor received any customer complaints.

Here's what makes *Ferulok* flareless fittings leakproof on such critical applications:

These flareless steel fittings have a double seal. Wedging action of the ferrule, when drawn down by the nut, forms a seal between body and ferrule. The cutting edge of the ferrule "bites" into the outer surface of the tube, forming a second positive seal. Self-centering action assures an even "bite" around the circumference of the tube. The extent of the bite at the cutting edge of the ferrule is completely visible when the fitting is taken apart.

Vibration won't break these seals. The rear bevel of the ferrule grips the tube. This damps vibration and prevents stresses from concentrating at the line of "bite".

Parker *Ferulok* flareless fittings are designed especially for high-pressure, heavy-wall tubing. *Ferulok are the fittings that conform with the new S.A.E. Hydraulic Flareless Tube Fittings Standard.* Of course, they also meet J.I.C. Hydraulic Standards for flareless fittings.

You have no assembly problems when you specify Parker *Ferulok.* Simply use a wrench; no special tools are needed.

Why not specify Parker *Ferulok* flareless fittings for *your* heavy-wall tubing applications? We now offer a greatly expanded *Ferulok* line with a complete range of body shapes and sizes for tubing through 2 inches, outside diameter.

TUBE AND HOSE FITTINGS DIVISION
The Parker Appliance Company
17325 Euclid Avenue, Cleveland 12, Ohio

Parker

Hydraulic and fluid system components



What other Parker products for hydraulic and fluid systems interest you? Triple-lok flare fittings? Hydraulic control valves? Synthetic rubber O-rings? Any other Parker products?

THE PARKER APPLIANCE COMPANY
Section 401-F
17325 Euclid Avenue
Cleveland 12, Ohio

☐ Please rush Parker fittings catalog No. 4300

☐ Information about the following products: _____

_____

NAME _____ TITLE _____

COMPANY _____

ADDRESS _____

CITY _____ STATE _____

Send for catalog of complete information about Parker tube fittings. If you'd like to know about Parker products, please list them on the coupon or write to the above address.



If pressure is a factor in the performance of your product, you can rely on Flex-O-Tube. For here is a name that has stood for uniformity of high quality for twenty-five years.

And just as important, the Flex-O-Tube organization is one that you can rely on, too. When the pressure's on for production you can count on prompt deliveries of flexible hose products that consistently meet specifications.

These are but two of the reasons why industry has used miles and miles of Flex-O-Tube and continues to specify it in increasing quantities. Why don't you find out for yourself by "putting the pressure on Flex-O-Tube"?

Supplied in Assemblies

Flex-O-Tube will help you determine the assembly needed or work to your own specifications. In either case, modern facilities and latest inspection techniques assure you a uniformly high quality product delivered promptly.

Supplied for Field Assembly

Flex-O-Tube hose is also supplied in bulk coils with reusable fittings for field assembly. Complete range of sizes and types.

Please send me your free ☐ aircraft catalog. ☐ industrial catalog.

Name .....

Company .....

City ..... Zone ..... State .....

Address .....

FLEX-O-TUBE

DIVISION OF MERIDAN CORP.

764 FOURTEENTH • DETROIT 16, MICHIGAN

1953 Editorial Index

Flow Measuring Instruments
By H. L. Kressin Nov. p 77

Flow Metering Valves Protect Diamond Wheels Feb. p 44

Fluid Motor Replaces Feed Cylinder on Belt Sander
By L. G. Brown Mar. p 80

4 Ways to Use Air to Increase Machine Output Dec. p 66

Freight Car Weight Transferred to a Fluid Column Dec. p 76

G

Gas Compression to 100,000 psi is Obtained with Hydraulics May p 108

Goodrich Aims for Centralization of Hydraulic Power May p 74

Growing Horizons for Fluid Power Jan. p 33

H

Have You Used this Circuit to Regulate Pressure May p 106

Here are Air Circuits that Reduce Manual Operations Dec. p 72

Higher Press Tonnages Mar. p 82

Hi-Lo Hydraulic Circuit Develops 12,000 psi Gas Pressure Nov. p 67

How Air Power Solves a Motor Assembly Problem
By Thomas Baxter and Charles G. Spicer Nov. p 63

How Air Pressure is Used to Apply Glue
By W. G. Deas May p 110

How To Support Long Stroke Cylinders
By Walter J. Kudlaty Oct. p 68

Hydraulically Operated Indexing Machine for Heavy Plates
By W. E. Darby Oct. p 94

Hydraulic and Electrical Circuits for a Broaching Machine
By John M. Klover Oct. p 90

Hydraulic and Pneumatic Feed Devices Speed 90 mm Shell Production Mar. p 74

Hydraulic Assist on Gantry Crane Reduces Operator Fatigue
By J. H. McCormick and Joel Roberts April p 68

Hydraulic Control System for Cam Milling Machine
By William F. Morgan Nov. p 74

Hydraulic Drive for 13 Ton Work Transfer Car
By K. R. Keska May p 65

Hydraulic Engineers Meet to Change JIC Standards Mar. p 104

Hydraulic Indexing Circuits for Machine Tools
By E. Y. Seborg May p 71

Hydraulic Lever Clamps Press Die
By E. W. Friedl July p 51

Hydraulic Lift for Electric Drive Motor Lowers Testing Costs
By Paul Nurko Mar. p 110

Hydraulic Power on Heavy Vehicles
By R. H. Fritzges July p 62

Hydraulic Testing Machine Helps Make Better Rope April p 62

Hydraulically Induced Vibration is Used to Shake Out Ore Cars
By L. G. Plant Feb. p 33

M

Machine Cycle Controlled by Electric Timer
By N. J. Cavagnaro, Jr. Sept. p 49

Continued on page 46

HYDRAULIC HPM POWER DIVISION

CYLINDERS

a Complete Line



- Over 800 Basic Models.
- 1½" to 12" Bore Sizes.
- 150 P.S.I. Air, or 300-2000-3000 P.S.I. Oil Hydraulic Service.
- Large Choice of Mountings, Standard and Combinations.
- Male or Female, standard or 2:1, single or double end piston rods.
- Adjustable stroke models.
- Single acting, collapsible or telescopic, large bore and other special cylinders to meet unusual requirements.

Ask for new H-P-M Catalogs covering cylinders best suited to your requirements.

Cat. #701—150 P.S.I. Air, 300 P.S.I. Oil Cylinders
Cat. #721—2000 P.S.I. Oil Cylinders
Cat. #741—3000 P.S.I. Oil Cylinders

HYDRAULIC
POWER
DIVISION
THE HYDRAULIC PRESS MFG. CO.
MOUNT GILEAD, OHIO, U. S. A.
1084 Marion Road
A Factor in the Field of Hydraulics Since 1877!

ACCESSORIES

POWER UNITS



PUMPS & MOTORS

VALVES



ONE SOURCE FOR ALL COMPONENTS!

DIAPHRAGMS

FOR ALL INDUSTRIAL APPLICATIONS

One of Acushnet's many specializations is in the field of diaphragms. We have achieved notable success in the design, development and molding of all types of diaphragms, with or without fabric inserts, from the size of a dime up to three feet in diameter.

Special stocks are expertly compounded with properties to resist various fluids and gases, extreme high or low temperatures, or combinations of these requirements. We are fully equipped to produce rubber diaphragms bonded to metal. Problems involving the most meticulous specifications are invited.

Acushnet
PROCESS COMPANY

Send for a copy of the "Acushnet Rubber Handbook", a comprehensive rubber data reference for molded rubber parts.

Address all communications to 794 Belleville Ave., New Bedford, Mass.

1953 Editorial Index

Multiple Clamp Circuits Simplify Retooling on Spar Mills — May p 67

N

National Fluid Power Association Gets Off to Good Start — Dec. p ....
National Fluid Power Association Meeting — Oct. p 190
New Hydraulic Cranking System for Automotive Engines — Sept. p 61
New Hydro-Air Power Unit offers More Speed, Force and Control By Frank C. Lornitzo — Oct. p 84
1953 Conference on Industrial Hydraulics — Oct. p 65
9th Annual Meeting of National Conference on Industrial Hydraulics — Dec. p 108

O

Oil Driven Tilting Mechanism Pours 25,000 Pounds of Molten Metal — April p 67
Oil Expanded Bag Lowers Metal Forming Tool Costs By Gilbert C. Close — June p 71
Oil Power Handles Larger Loads on Redesigned Railroad Track Maintenance Machines By W. H. Knippel — Oct. p 70
Oil Powered Coil Stacker Solves Handling Problem — Feb. p 41
Oil Pressure Tests Endurance of Bridge Building Materials — Mar. p 79
Oil Temperature Control on 1000 Ton Rubber Curing Presses By R. L. Guggenheim — Aug. p 53

P

Photoelectric Control Starts Ram Travel after Proper Part Alignment — Mar. p 68
Piping and Manifold Layout Reduces Hydraulic Maintenance Costs By E. W. Friedl — April p 60
Planning Expanded Production? You'll Need Greater Compressed Air Capacity — June p 65
Pneumatic Counterbalancing of Mechanical Presses — Dec. p 71
Pneumatic Forming Competes with Mechanical By Edward L. Bronstien, Jr. and Richard A. Fisher — Nov. p 68
Prescriptions for Oil for Hydraulic Systems By Bruce M. Dunham — May p 69
Prize Winning Papers and Authors, 1953 Contest — Oct. p 81
Procedure for Selection of Fluid Drive Units By A. E. Kremiller — Sept. p 52
Pump Design Gives Controlled Delivery with Variable Input Speed — April p 70

R

Raising the Roof with Oil Powered Jacks — June p 60
Rotary Bending with an Air Cylinder By George Coslett — Dec. p 65

S

Sandwich Manifolds Simplify Machine Piping Layout By Richard Moese — July p 57
Sequence Valves Control Multiple Motions — May p 76
Servo Control Valve Equalizes Bending Action — July p 53

Continued on page 49

1953 *Editorial Index*

Servomechanisms for Industry Part I
By F. B. MacLaren — Sept. p 58

Servomechanisms for Industry Part II Design Factors
By F. B. MacLaren — Oct. p 98

Servomechanisms for Industry Part III Industrial Applications
By F. B. MacLaren — Nov. p 81

Simplified Circuit Controls Special Purpose Die Casting Machine — July p 60

Small Power Input Develops 35 Tons in Manually Operated Machine — Aug. p 51

Solenoid Air Valves Control Tire Building Operations
By Ted Mallory — Mar. p 70

Special Press Has Simple Air-Oil Booster Circuit — Aug. p 61

Suggestions for Leakage Control in Hydraulic Systems
By B. Cooke — Feb. p 38

T

Temperature Measurement with Thermocouples in Hydraulic Circuits
By H. L. Kressin — July p 47

Testing Structural Panels with Low Pressure Air — Sept. p 66

Test Stand Design to Help Select Piston Rings
By R. W. Hoyt — Nov. p 75

The Development of Cylindrical Piston Accumulators
By John W. Overbeke — Aug. p. 58

This Reservoir Baffle Design Improves System Operation
By Martin Lipton — July p 56

Tracer Circuit for Machining Guided Missile Parts — April p 72

Training Courses in the Fluid Power Field — Oct. p 154

Triple Torture Test Applied with Oil Power
By J. P. Moorhead — Sept. p 56

U

Unusual Press Design Utilizes High Pressure Oil — May p 80

W

Winch Design Uses Hydraulic, Gear and Belt Drives — Mar. p 76

Y

You Can Design Hydraulic Test Stands to Reduce Rejections — Feb. p 36

AUTHOR INDEX

A

Abbott, C. S.
Air Circuit for Machine Tool Lubrication — Nov. p 122

Adams, C. E.
Control of Hydraulic Shock in Aircraft Lines — May p 102

Adler, Milton
Automatic Bleeding of Air in Hydraulic Systems — June p 62

B

Baxter, Thomas (with Charles G. Spicer)
How Air Power Solves a Motor Assembly Problem — Nov. p 63

Bowman, C. E.
Design of a Hydraulically Operated Biaxial Fatigue Testing Machine — Dec. p 61

Continued on page 54

IN HYDRAULIC POWER-

Two Vanes are Better Than One!



The balanced DUAL-VANES (two independent vanes in each slot in the rotor) in DUDCO Pumps and Motors, as contrasted with conventional designs, maintain MULTIPLE AREAS OF CONTACT ON THE CAM RING . . . doubling the number of effective barriers to slippage and power loss. This is an exclusive DUDCO principle!

DUDCO
DUAL-VANE PUMPS

Low vane-thrust and low resistance to rotation PLUS minimized slippage combine to give the greatest horsepower output for given horsepower input. The patented DUDCO DUAL-VANE construction reduces slippage to an absolute minimum by providing multiple vane sealing . . . permits greater loads at higher pressures. DUDCO Pumps with over 60 standard models, a broad selection of port locations and types of mountings give design engineers the positive answer to fluid power requirements from 3 to 120 gpm at continuous pressures to 2000 psi. There are single Pumps from 3 to 60 gpm and double models provide combined capacities from 24 to 120 gpm. Here is compactness . . . over 100 hp in less than a cubic foot of space, rugged dependability in equipment supremely simple to service, and the most efficient fluid power units of their kind in the hydraulics field.

- **FULL HYDRAULIC BALANCE . . . shaft bearing loads, rotor side loads and excessive vane-thrust loads and resultant wear are eliminated in the DUDCO design.**
- **HIGHER PRESSURES . . . 2000 psi continuous duty makes it possible to increase machine capacities using standard components.**
- **INTERCHANGEABLE CAM RINGS . . . enables users to alter the pump capacity simply by installing another size cam ring of the same series.**

DUDCO
DUAL-VANE MOTORS

The unique DUAL-VANE design enables DUDCO Motors to convert fluid power to variable speed rotary power with unmatched efficiency. Power losses due to slippage are virtually eliminated by the multiple vane sealing. These motors develop starting torques as high as or higher than running torques. They will start under load and may be stalled without damage. Dynamic balance and the low vane-thrust make possible rapid acceleration and deceleration . . . reversing is instantaneous. Over 25 standard models of DUDCO Motors are available to solve the problems of designers and engineers who must have a dependable source of rotary power. For continuous operation at pressures up to 2000 psi and speeds up to 3600 rpm, these Motors develop torques from 180 to 14,400 lb. in. . . . outputs, at maximum pressures and speeds, from 8 to over 120 hp.

- **SERVICEABILITY . . . simplicity of design makes servicing easy though seldom necessary.**
- **LONG LIFE . . . rugged construction and minimized wear assure continued operation under the most grueling conditions without failure.**
- **ECONOMY . . . the most economical source of variable speed rotary hydraulic power.**

Write Get the facts on DUDCO DUAL-VANE Pumps and Motors. Ask for Bulletin No. DP 300.

DUDCO DIVISION
THE NEW YORK AIR BRAKE COMPANY
1704 EAST NINE MILE ROAD • HAZEL PARK • MICH.

Circle 30 on Reader Service Card

In Hydraulic Packing—TEFLON is fast supplanting leather.

Because Teflon is chemically inert—it requires no chemical inspection, is unaffected by all hydrocarbons and newer synthetic hydraulic fluids. Its service temperature range is from—110° F to +500° F. It has unsurpassed anti-friction properties, is extremely resilient, tough, long wearing. It is waterproof, non-flammable. It requires no water-soak for installation.

CHEM-O-GREEN BACK-UP RINGS are an outstanding example of TEFLON'S superiority. Made in solid, split or the spiral type, preferred by engineers, they solve the "O" Ring extrusion problem. A companion product to Chemiseal synthetic rubber "O" Rings, they are sold as a "Packing package" for all commercial and AN requirements. Write for Catalog OB-1152.

CHEMISEAL V-TYPE PACKING made of Teflon—is ideal for either manual or automatically operated hydraulic valves. Seals with low gland pressures and operating torque. Supplied in sets with square-end Teflon adaptors. Ask for Bulletin No. 810-V.



UNITED STATES GASKET COMPANY

FLUOROCARBON PRODUCTS DIVISION
CAMDEN 1, NEW JERSEY

Representatives in Principal Cities Throughout the World

1953 Editorial Index

Bronstien, Edward L. Jr., (with Richard A. Fisher)
Pneumatic Forming Competes with Mechanical Nov. p 68

Brown, L. G.
Fluid Motor Replaces Feed Cylinder on Belt Sander Mar. p 80

C

Caserta, M.
Selection Factors for Airborne Compressors, Part I Feb. p 54
Selection Factors for Airborne Compressors, Part II Mar. p 92

Cavagnaro, N. J., Jr.
Machine Cycle Controlled by Electric Timer Sept. p 49

Close, Gilbert C.
Oil Expanded Bag Lowers Metal Forming Tool Costs June p 71

Cooke, B.
Suggestions for Leakage Control in Hydraulic Systems Feb. p 38

Coslett, George
Rotary Bending with an Air Cylinder Dec. p 65

D

Darby, W. E.
Hydraulically Operated Indexing Machine for Heavy Plates Oct. p 94

Deas, W. G.
How Air Pressure is Used to Apply Glue May p 110

Drollinger, Earl A.
Air-Hydraulic Boosters Put the Squeeze on Sugar Cane June p 68

Dunham, Bruce M.
Prescriptions for Oil for Hydraulic Systems May p 69

F

Fisher, Richard A. (with Edward L. Bronstien, Jr.)
Pneumatic Forming Competes with Mechanical Nov. p 68

Friedl, E. W.
Hydraulic Lever Clamps Press Die July p 51
Piping and Manifold Layout Reduces Hydraulic Maintenance Costs April p 60

Fritzges, R. H.
Hydraulic Power on Heavy Vehicles July p 62

G

Greensite, Arthur
Design of Hydraulic Systems for Heavy Presses
Part 1 The Power Station Oct. p 78
Part 2 Valves Nov. p 71
Part 3 Control Circuits Dec. p 68

Guggenheim, R. L.
Oil Temperature Control on 1000 Ton Rubber Curing Presses Aug. p 53

H

Hallatt, W. E.
A Method of Sychronizing Hydraulic Cylinders Dec. p 74

Hanback, Frank J.
Development of Cluster Fittings Simplifies Aircraft Circuits April p 90

Hankin, Ralph L.
Control Circuits for Feed-Clamp-Work Cycle Aug. p 47

Hedland, Harry
Hydraulic Fuses . . . What Are They? . . . How Do They Work? June p 74

Continued on page 56

Depend on *Turchan* for efficient

HYDRAULIC POWER UNITS



- Built to JIC standards
- Turchan standard units of a wide range in pressures and deliveries
- Special units built to meet your requirements

or COMPLETE SYSTEMS

- A recent installation of electro-hydraulic servo-control system designed and built by Turchan control engineering experts





- Typical of many industrial servo-control systems designed by Turchan experts in over 20 years' experience

You'll gain by discussing your control problems with our engineers.

Turchan FOLLOWER MACHINE CO.

Control Systems Division, 8259 Livernois Avenue, Detroit 4, Michigan

Manufacturers of Servo Systems • Servo Valves • Cylinders • Flow Control and Shut Off Valves • and all Hydraulic Components

DRY, FRESH ---------AIR----------
For a Supersonic WIND TUNNEL

● New and improved, this NIAGARA METHOD that effectively dries outdoor air for a wind tunnel used for testing at supersonic speed, can be trusted to give you the best air conditions for your purpose:

- **to dry your materials or products**
- **to prevent condensation or moisture damage**
- **to protect your moisture-sensitive processes**
- **to give you an atmosphere in which your product can be packaged or stored safely.**
- **to give you exactly the right atmospheric conditions for testing materials**
- **to put "fresh air" back into your air conditioning, increasing its capacity and effectiveness**

The Niagara "fresh air" Method removes the excess moisture from outdoor air by contact with an absorbent liquid in a spray chamber. The liquid contact temperature and the absorbent concentration, both controlled thermostatically, determine the amount of moisture in the conditioned air. Heating or cooling the air is a separate function. Therefore, you can easily and inexpensively have a precisely controlled condition without the use of moisture sensitive instruments.

The Niagara Absorbent Spray Method is noted for solving the really difficult problems of air conditioning. Write for complete information.

NIAGARA BLOWER COMPANY

Over 35 Years' Service in Industrial Air Engineering

Dept. AH , 405 Lexington Ave. New York 17, N. Y.

Field Engineers in Principal Cities of U. S. and Canada

1953 Editorial Index

Hemeon, J. Russell
Accumulator Selection . . . "The Rule of Three" June p 57

Hoyt, R. W.
Test Stand Design to Help Select Piston Rings Nov. p 75

K

Keska, K. R.
Hydraulic Drive for 13 Ton Work Transfer Car May p 65

King, John A.
Nonflammable Fluids for Aircraft Hydraulic Systems Oct. p 114

Klover, John M.
Hydraulic and Electrical Circuits for a Broaching Machine Oct. p 90

Knippel, W. H.
Oil Power Handles Larger Loads on Redesigned Railroad Track Maintenance Machines Oct. p 70

Kremiller, A. E.
Procedure for Selection of Fluid Drive Units Sept. p 52

Kressin, H. L.
Electronic Instrumentation Techniques for Hydraulic Applications April p 63
Temperature Measurement with Thermocouples in Hydraulic Circuits July p 47
Flow Measuring Instruments Nov. p 77

Kudlaty, Walter J.
How to Support Long Stroke Cylinders Oct. p 68

L

Lankester, John A.
4000 psi Hydraulic Circuit Designed for British Airliners Nov. p 92

Leach, Dwight E.
Development of the Corsair Hydraulic System Oct. p 106

Lipton, Martin
This Reservoir Baffle Design Improves System Operation July p 56

Lornitzo, Frank C.
New Hydro-Air Power Unit offers More Speed, Force and Control Oct. p 84

M

MacLaren, F. B.
Servomechanisms for Industry—Part I Sept. p 58
Servomechanisms for Industry—Part II Design Factors Oct. p 98
Servomechanisms for Industry—Part III Industrial Applications Nov. p 81

Mallory, Ted
Solenoid Air Valves Control Tire Building Operations Mar. p 70

McCormick, J. H. (with Joel Roberts)
Hydraulic Assist on Gantry Crane Reduces Operator Fatigue April p 68

Moese, Richard
Sandwich Manifolds Simplify Machine Piping Layout July p 57

Moorhead, J. P.
Triple Torture Test Applied with Oil Power Sept. p 56

Morgan, William F.
Hydraulic Control System for Cam Milling Machine Nov. p 74

N

Nurko, Paul
Hydraulic Lift for Electric Drive Motor Lowers Testing Costs Mar. p 110

Continued on page 58

Circle 74 on Reader Service Card

Circle 68 on Reader Service Card

HIGH PRESSURE HYDRAULIC CYLINDERS

RD
ROME PLATED
STON RODS
vent Scratch-Damage,
s and Rust

SOLID STEEL HEADS, CAPS and MOUNTINGS
Eliminate Breakage

RT WIPER SEALS
ject Rods, Seals, Bushings

Standard Leather Cup Seal Assembly Shown Is Interchangeable With Miller Standard Piston Ring Piston Assembly

WRITE FOR CYLINDER BULLETINS H-104 and A-105

Complete Miller cylinder line includes: air cylinders, 1½" to 20" bores, 200 PSI operation; low pressure hydraulic cylinders, 1½" to 6" bores for 500 PSI operation, 8" to 14" bores for 250 PSI; high pressure hydraulic cylinders, 1½" to 12" bores, 2000-3000 PSI operation. All mounting styles available.

MET J. I. C. HYDRAULIC STANDARDS years before their adoption in 1949.

SPACE-SAVING SQUARE DESIGN originated by Miller in 1945.

SALES AND SERVICE FROM COAST TO COAST

EVELAND • YOUNGSTOWN • DAYTON • PITTSBURGH • PHILADELPHIA • OSTON • HARTFORD • NEW YORK CITY • BUFFALO • ST. PAUL • GRAND PIDS • DETROIT • FLINT • FORT WAYNE • SOUTH BEND • INDIANAPOLIS MILWAUKEE • LOUISVILLE • KANSAS CITY • SEATTLE • LOS ANGELES • N FRANCISCO • BALTIMORE • DENVER • ST. LOUIS • MOLINE • CHICAGO HOUSTON • TORONTO, CANADA and OTHER AREAS

MILLER MOTOR COMPANY

2008 N. Hawthorne Ave., Melrose Park, Ill.

AIR & HYDRAULIC CYLINDERS • BOOSTERS • ACCUMULATORS
COUNTERBALANCE CYLINDERS

ROPER

works with Twin-Disc to improve efficiency of this HYDRAULIC POWER TAKE-OFF



This particular Twin-Disc Disconnecting Hydraulic Coupling — which also acts as its own master clutch — transmits the power of engines used on drilling rigs. It provides smoother operation, less shock to drill and engines, and reduces chain breakage. A Roper 76K50 Pump is integral — as shown — and transmits the fluid necessary for engaging and disengaging the Twin-Disc Unit.

ROPER 76K50 PUMP

YOU CAN EXPECT DEPENDABILITY FROM ROPER

The Roper used as a vital component of this hydraulic power take-off is a special design Series K pump with built-in relief valve. In its role here, the Roper is highly regarded for its great dependability and peak efficiency under rugged conditions. Here's food for thought for you, for you might well have new equipment in process where a Roper would fill the bill. Standard Series K pumps are rated to 150 P.S.I., and delivery ranges of from 3/4 to 50 G.P.M. They are widely used for pressure lubrication, hydraulic service, transfer work, and fuel supply. Series K features (too numerous to mention here) are available to you in our latest catalog. Send for it!



VENTURI SUCTION and DISCHARGE PRINCIPLE IN SERIES K PUMPS

In Series K pumps 10 through 50. A design application whereby liquid is distributed uniformly across the gear face, increasing volumetric efficiency. Adds quietness . . . minimizes energy loss caused by turbulence, cavitation and friction.

GEO. D. ROPER CORPORATION
712 Blackhawk Park Ave., Rockford, Ill.

ROPER
Rotary Pumps

1953 Editorial Index

O

Overbeke, John W.
The Development of Cylindrical Piston Accumulators Aug. p 58

P

Paulus, Edward F.
Air Actuated Intensifier Circuit Provides Explosion Proof Test Stand April p 57

Phillips, R. W.
Application and Design of Compression Type Fittings Feb. p 42

Application of "Shear Type" Sleeve Fittings Mar. p 124
Flareless Fittings April p 82
May p 84
June p 122

Plant, L. G.
Hydraulically Induced Vibration is Used to Shake Out Ore Cars Feb. p 33

R

Reethof, Gerhard
Using Hydraulic Pressure Relief Valves Correctly May p 89

Roberts, Joel (with J. H. McCormick)
Hydraulic Assist on Gantry Crane Reduces Operator Fatigue April p 68

S

Sammis, Alfred B. (with Michael Tareswich)
Mechanical Lock and Signal Devices for Aircraft Hydraulic Cylinders Sept. p 82

Seborg, E. Y.
Hydraulic Indexing Circuits for Machine Tools May p 71

Sharpe, R. Q.
Do You Need Inhibited Oils? Oct. p 118

Smith, Edward
Electro Hydraulic System for Multi-slide Turning Machine Mar. p 64

Spicer, Charles G. (with Thomas Baxter)
How Air Power Solves a Motor Assembly Problem Nov. p 63

Straus, Frank
Development of "O" Rings for Aircraft Applications Aug. p 82

Strayer, Chalmers A. (with Wilfred F. Talbot)
Hydraulic Control Systems are Designed for Safety Dec. p 99

T

Taggart, R. E.
Electrically Controlled Air Circuits Improve Machine Operation Oct. p 74

Talbot, Wilfred F. (with Chalmers F. Strayer)
Hydraulic Control Systems are Designed for Safety Dec. p 99

Tareswich, Michael (with Alfred B. Sammis)
Mechanical Lock and Signal Devices for Aircraft Hydraulic Cylinders Sept. p 82

W

Wallen, H. F.
Cylinder Actuated Device on Spot Welder Gives More Loading Clearance Sept. p 64

Wolpin, Martin P.
Servo Valve Design for Autopilot Applications July p 74